

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

IN THE CLAIMS:

1. (Currently Amended) A data processing system implemented method for accomplishing an enterprise event based on a unified collection of information realized from a plurality of disparate, ancillary systems comprising:

catching a message at an enterprise level, wherein the message was generated by a disparate, ancillary system at a sub-enterprise level using a set of content rules and the message conforms to a message standard;

opening the message;

identifying the disparate, ancillary system based on the message;

accessing content conversion rules based on the identity of the disparate, ancillary system;

converting, at the enterprise level, content from the message to enterprise information using the content conversion rules, wherein the enterprise information is in an enterprise message defined by enterprise-specific messaging rules;

retrieving enterprise relationship rules based on the enterprise information;

checking the enterprise information for a relationship with enterprise data based on the relationship rules; and

scheduling an enterprise event based on a relationship between the enterprise information converted from the message and the-enterprise data stored on the enterprise database.

2. (Original) The method recited above in claim 1 further comprising: storing the enterprise information in the enterprise database.

3. (Original) The method recited above in claim 1, wherein the enterprise is a health care facility.

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

4. (Original) The method recited above in claim 1 further comprising:
receiving an enterprise request for access to data in the enterprise database;
identifying the portion of enterprise data from information from the enterprise request;
identifying the requestor from the enterprise request;
retrieving enterprise relationship rules based on the identity of the requester;
identifying at least one user with a privilege to the identified portion of enterprise data; and
granting the requester access to the identified portion of enterprise data based on the requester being identified as a user with the privilege to the identified portion of enterprise data.
5. (Original) The method recited above in claim 4, prior to granting the requester access to the identified portion of enterprise data the method further comprising:
comparing the identity of at least one user with a privilege to the identified portion with the identity of the requestor; and
returning a warning response to the requestor based on the outcome of the comparison.
6. (Original) The method recited above in claim 2 further comprising:
detecting an error in a portion of enterprise data maintained on the enterprise database;
identifying a source disparate, ancillary system, wherein the source disparate, ancillary system is a source for the portion of enterprise data;
locating the portion of enterprise data in the source disparate, ancillary system; and
accessing the source disparate, ancillary system for the portion of enterprise data.
7. (Original) The method recited above in claim 6 further comprising:
overwriting the portion of enterprise data maintained on the enterprise database with the portion of enterprise data from the source disparate, ancillary system.

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

8. (Original) The method recited above in claim 1, wherein the enterprise event is an enterprise service, scheduling the enterprise event further comprises:

identifying a recipient for the enterprise service from the enterprise information.

9. (Original) The method recited above in claim 8, wherein scheduling the enterprise event further comprises:

identifying an enterprise department responsible for administering the performance of enterprise services to the recipient based on the identity of the recipient for the enterprise service and the enterprise data.

10. (Previously Presented) The method recited above in claim 8, wherein scheduling the enterprise event further comprises:

identifying an enterprise service person responsible for performance of the enterprise service based on the identity of the recipient of the enterprise service and the enterprise data.

11. (Previously Presented) The method recited above in claim 8, wherein scheduling the enterprise event further comprises:

identifying an enterprise service person responsible for performance of the enterprise service and an enterprise department responsible for administering the performance of enterprise services to the recipient based on the identity of the recipient of the enterprise service and the enterprise data.

12. (Original) The method recited above in claim 9, wherein scheduling the enterprise event further comprises:

establishing a scheduling time for performance of the enterprise service; and

notifying the enterprise department responsible for administering the performance of enterprise services to the recipient of the scheduling time.

Appl. No. 09/822,013

Reply to Examiner's Action dated 01/03/2006

13. (Previously Presented) The method recited above in claim 10, wherein scheduling the enterprise event further comprises:

establishing a scheduling time for performance of the enterprise service; and

notifying the service person responsible for performance of the enterprise service of the scheduling time.

14. (Previously Presented) The method recited above in claim 11, wherein scheduling the enterprise event further comprises:

establishing a scheduling time for performance of the enterprise service; and

notifying the enterprise service person responsible for performance of the enterprise service and the enterprise department responsible for administering the performance of enterprise services to the recipient of the scheduling time.

15. (Original) The method recited above in claim 14, wherein notifying further comprises:

updating an enterprise web page with the scheduling time for performance of the enterprise service.

16. (Previously Presented) The method recited above in claim 15, wherein notifying further comprises:

accessing notification information for enterprise service person from the enterprise data;

selecting a transmission medium based on notification criteria in the notification information;

and

transmitting a message using the transmission medium based on the notification information.

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

17. (Original) The method recited above in claim 16, wherein the transmission medium is a telephone, the notification information includes a telephone number, and the message is an oral notification.

18. (Original) The method recited above in claim 16, wherein the transmission medium is a pager, the notification information includes a pager telephone number, and the message is a text notification.

19. (Original) The method recited above in claim 15, wherein scheduling the enterprise event further comprises:

receiving an acknowledgment from the enterprise service person that the scheduling time for performance of the enterprise service has been received by the enterprise service person.

20. (Original) The method recited above in claim 19, wherein scheduling the enterprise event further comprises:

notifying the enterprise department responsible for administering the performance of enterprise services to the recipient that the enterprise service person responsible for administering acknowledges the scheduling time for performance of the enterprise service.

21. (Original) The method recited above in claim 1, wherein the enterprise event is an enterprise function, scheduling the enterprise event further comprises:

identifying an enterprise user responsible for executing the enterprise function from the enterprise information.

22. (Original) The method recited above in claim 21, wherein scheduling the enterprise event further comprises:

retrieving enterprise relationship rules based on the identity of the enterprise user;

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

identifying at least one user with a privilege to the enterprise function; and
granting the enterprise user access to the enterprise function based on the enterprise user being identified as a user with the privilege to the enterprise function.

23. (Previously Presented) The method recited above in claim 22 wherein scheduling the enterprise event further comprises:

updating an enterprise web page with at least a portion of the enterprise information with a tool to perform the enterprise function.

24. (Previously Presented) The method recited above in claim 23 wherein at least a portion of the enterprise information is a document and the tool to perform the enterprise function is an electronic signature tool.

25. (Original) The method recited above in claim 24 wherein the tool to perform the enterprise function further includes a document editing feature.

26. (Original) The method recited above in claim 25 wherein the editing feature of the tool to perform the enterprise function requires a separate privilege.

27. (Original) The method recited above in claim 22 wherein the enterprise user is one of a physician, an intern and a resident and the enterprise is a health care facility.

28. (Previously Presented) The method recited above in claim 24 wherein scheduling the enterprise event further comprises:

receiving an acknowledgment from the enterprise user that a document has been electronically signed by the enterprise user.

29. (Previously Presented) The method recited above in claim 25 wherein scheduling the enterprise event further comprises:

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

receiving an acknowledgment from the enterprise user that a document has been electronically edited and electronically signed by the enterprise user.

30. (Original) The method recited above in claim 24 wherein scheduling the enterprise event further comprises:

faxing a copy of the signed document to a destination based on the enterprise data.

31. (Currently Amended) A data processing system for accomplishing an enterprise event based on a unified collection of information realized from a plurality of disparate, ancillary systems comprising:

means for catching a message at an enterprise level, wherein the message was generated by a disparate, ancillary system at a sub-enterprise level using a set of content rules and the message conforms to a message standard;

means for opening the message;

means for identifying the disparate, ancillary system based on the message;

accessing content conversion rules based on the identity of the disparate, ancillary system;

means for converting at the enterprise level content from the message to enterprise information using the content conversion rules, wherein the enterprise information is in an enterprise message defined by enterprise-specific messaging rules;

means for retrieving enterprise relationship rules based on the enterprise information;

means for checking the enterprise information for a relationship with enterprise data based on the relationship rules; and

means for scheduling an enterprise event based on a relationship between the enterprise information converted from the message and the enterprise data stored on the enterprise database.

Appl. No. 09/822,013

Reply to Examiner's Action dated 01/03/2006

32. (Original) The system recited above in claim 31 further comprising: means for storing the enterprise information in the enterprise database.

33. (Original) The system recited above in claim 31, wherein the enterprise is a health care facility.

34. (Previously Presented) The system recited above in claim 31 further comprising:
means for receiving an enterprise request for access to data in the enterprise database;
means for identifying the portion of enterprise data from information from the enterprise request;

means for identifying the requestor from the enterprise request;
means for retrieving enterprise relationship rules based on the identity of the requester;
means for identifying at least one user with a privilege to the identified portion of enterprise data; and

means for granting the requestor access to the identified portion of enterprise data based on the requester being identified as a user with the privilege to the identified portion of enterprise data.

35. (Original) The system recited above in claim 34 further comprising:
means for comparing the identity of at least one user with a privilege to the identified portion with the identity of the requestor; and

means for returning a warning response to the requestor based on the outcome of the comparison.

36. (Original) The system recited above in claim 32 further comprising:
means for detecting an error in a portion of enterprise data maintained on the enterprise database;

Appl. No. 09/822,013

Reply to Examiner's Action dated 01/03/2006

means for identifying a source disparate, ancillary system, wherein the source disparate, ancillary system is a source for the portion of enterprise data;

means for locating the portion of enterprise data in the source disparate, ancillary system; and

means for accessing the source disparate, ancillary system for the portion of enterprise data.

37. (Original) The system recited above in claim 36 further comprising:

means for overwriting the portion of enterprise data maintained on the enterprise database with the portion of enterprise data from the source disparate, ancillary system.

38. (Original) The system recited above in claim 31, wherein the enterprise event is an enterprise service, the means for scheduling the enterprise event further comprises:

means for identifying a recipient for the enterprise service from the enterprise information.

39. (Original) The system recited above in claim 38, wherein the means for scheduling the enterprise event further comprises:

means for identifying an enterprise department responsible for administering the performance of enterprise services to the recipient based on the identity of the recipient for the enterprise service and the enterprise data.

40. (Previously Presented) The system recited above in claim 38, wherein the means for scheduling the enterprise event further comprises:

means for identifying an enterprise service person responsible for performance of the enterprise service based on the identity of the recipient of the enterprise service and the enterprise data.

41. (Previously Presented) The system recited above in claim 38, wherein the means for scheduling the enterprise event further comprises:

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

means for identifying an enterprise service person responsible for performance of the enterprise service based on the identity of the recipient of the enterprise service and the enterprise data; and

means for identifying an enterprise department responsible for administering the performance of enterprise services to the recipient based on the identity of the recipient of the enterprise service and the enterprise data.

42. (Original) The system recited above in claim 39, wherein the means for scheduling the enterprise event further comprises:

means for establishing a scheduling time for performance of the enterprise service; and

means for notifying the enterprise department responsible for administering the performance of enterprise services to the recipient of the scheduling time.

43. (Previously Presented) The system recited above in claim 40, wherein the means for scheduling the enterprise event further comprises:

means for establishing a scheduling time for performance of the enterprise service; and

means for notifying the service person responsible for performance of the enterprise service of the scheduling time.

44. (Previously Presented) The system recited above in claim 41, wherein the means for scheduling the enterprise event further comprises:

means for establishing a scheduling time for performance of the enterprise service; and

means for notifying the enterprise service person responsible for performance of the enterprise service and the enterprise department responsible for administering the performance of enterprise services to the recipient of the scheduling time.

Appl. No. 09/822,013

Reply to Examiner's Action dated 01/03/2006

45. (Original) The system recited above in claim 44, wherein the means for notifying further comprises:

means for updating an enterprise web page with the scheduling time for performance of the enterprise service.

46. (Previously Presented) The system recited above in claim 45, wherein the means for notifying further comprises:

means for accessing notification information for enterprise service person from the enterprise data;

means for selecting a transmission medium based on notification criteria in the notification information; and

means for transmitting a message using the transmission medium based on the notification information.

47. (Original) The system recited above in claim 46, wherein the transmission medium is a telephone, the notification information includes a telephone number, and the message is an oral notification.

48. (Original) The system recited above in claim 46, wherein the transmission medium is a pager, the notification information includes a pager telephone number, and the message is a text notification

49. (Original) The system recited above in claim 45, wherein the means for scheduling the enterprise event further comprises:

Appl. No. 09/822,013

Reply to Examiner's Action dated 01/03/2006

means for receiving an acknowledgment from the enterprise service person that the scheduling time for performance of the enterprise service has been received by the enterprise service person.

50. (Original) The system recited above in claim 49, wherein the means for scheduling the enterprise event further comprises:

means for notifying the enterprise department responsible for administering the performance of enterprise services to the recipient that the enterprise service person responsible for administering acknowledges the scheduling time for performance of the enterprise service.

51. (Original) The system recited above in claim 31, wherein the enterprise event is an enterprise function, the means for scheduling the enterprise event further comprises:

means for identifying an enterprise user responsible for executing the enterprise function from the enterprise information.

52. (Original) The system recited above in claim 41, wherein the means for scheduling the enterprise event further comprises:

means for retrieving enterprise relationship rules based on the identity of the enterprise user;

means for identifying at least one user with a privilege to the enterprise function; and

means for granting the enterprise user access to the enterprise function based on the enterprise user being identified as a user with the privilege to the enterprise function.

53. (Previously Presented) The system recited above in claim 52 wherein the means for scheduling the enterprise event further comprises:

means for updating an enterprise web page with at least a portion of the enterprise information with a tool to perform the enterprise function

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

54. (Previously Presented) The system recited above in claim 53 wherein at least a portion of the enterprise information is a document and the tool to perform the enterprise function is an electronic signature tool

55. (Original) The system recited above in claim 54 wherein the tool to perform the enterprise function further includes a document editing feature.

56. (Original) The system recited above in claim 55 wherein the editing feature of the tool to perform the enterprise function requires a separate privilege.

57. (Original) The system recited above in claim 52 wherein the enterprise user is one of a physician, an intern and a resident and the enterprise is a health care facility.

58. (Previously Presented) The system recited above in claim 54 wherein the means for scheduling the enterprise event further comprises:

means for receiving an acknowledgment from the enterprise user that a document has been electronically signed by the enterprise user.

59. (Previously Presented) The system recited above in claim 55 wherein the means for scheduling the enterprise event further comprises:

means for receiving an acknowledgment from the enterprise user that a document has been electronically edited and electronically signed by the enterprise user.

60. (Original) The system recited above in claim 54 wherein the means for scheduling the enterprise event further comprises:

means for faxing a copy of the signed document to a destination based on the enterprise data.

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

61. (Currently Amended) A computer readable storage medium storing program instructions for execution on a data processing system which when executed cause the data processing system to perform a method for accomplishing an enterprise event based on a unified collection of information realized from a plurality of disparate, ancillary systems, the method comprising:

catching a message at an enterprise level, wherein the message was generated by a disparate, ancillary system at a sub-enterprise level using a set of content rules and the message conforms to a message standard;

opening the message;

identifying the disparate, ancillary system based on the message;

accessing content conversion rules based on the identity of the disparate, ancillary system;

converting at the enterprise level content from the message to enterprise information using the content conversion rules, wherein the enterprise information is in an enterprise message defined by enterprise-specific messaging rules;

retrieving enterprise relationship rules based on the enterprise information;

checking the enterprise information for a relationship with enterprise data based on the relationship rules; and

scheduling an enterprise event based on a relationship between the enterprise information converted from the message and the enterprise data stored on the enterprise database.

62. (Previously Presented) The computer readable storage medium recited above in claim 61 further comprising: storing the enterprise information in the enterprise database.

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

63. (Previously Presented) The computer readable storage medium recited above in claim 61, wherein the enterprise is a health care facility.

64. (Previously Presented) The computer readable storage medium recited above in claim 61 further comprising:

- receiving an enterprise request for access to data in the enterprise database;
- identifying the portion of enterprise data from information from the enterprise request;
- identifying the requester from the enterprise request;
- retrieving enterprise relationship rules based on the identity of the requester;
- identifying at least one user with a privilege to the identified portion of enterprise data; and
- granting the requester access to the identified portion of enterprise data based on the requester being identified as a user with the privilege to the identified portion of enterprise data.

65. (Previously Presented) The computer readable storage medium recited above in claim 64 further comprising: comparing the identity of at least one user with a privilege to the identified portion with the identity of the requester; and returning a warning response to the requester based on the outcome of the comparison.

66. (Previously Presented) The computer readable storage medium recited above in claim 62 further comprising:

- detecting an error in a portion of enterprise data maintained on the enterprise database;
- identifying a source disparate, ancillary system, wherein the source disparate, ancillary system is a source for the portion of enterprise data;
- locating the portion of enterprise data in the source disparate, ancillary system; and
- accessing the source disparate, ancillary system for the portion of enterprise data.

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

67. (Previously Presented) The computer readable storage medium recited above in claim 66 further comprising:

overwriting the portion of enterprise data maintained on the enterprise database with the portion of enterprise data from the source disparate, ancillary system.

68. (Previously Presented) The computer readable storage medium recited above in claim 61, wherein the enterprise event is an enterprise service, scheduling the enterprise event further comprises: identifying a recipient for the enterprise service from the enterprise information.

69. (Previously Presented) The computer readable storage medium recited above in claim 68, wherein scheduling the enterprise event further comprises:

identifying an enterprise department responsible for administering the performance of enterprise services to the recipient based on the identity of the recipient for the enterprise service and the enterprise data.

70. (Previously Presented) The computer readable storage medium recited above in claim 68, wherein scheduling the enterprise event further comprises:

identifying an enterprise service person responsible for performance of the enterprise service based on the identity of the recipient of the enterprise service and the enterprise data.

71. (Previously Presented) The computer readable storage medium recited above in claim 68, wherein for scheduling the enterprise event further comprises:

identifying an enterprise service person responsible for performance of the enterprise service based on the identity of the recipient of the enterprise service and the enterprise data; and

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

identifying an enterprise department responsible for administering the performance of enterprise services to the recipient based on the identity of the recipient of the enterprise service and the enterprise data.

72. (Previously Presented) The computer readable storage medium recited above in claim 69, wherein scheduling the enterprise event further comprises:

establishing a scheduling time for performance of the enterprise service; and
notifying the enterprise department responsible for administering the performance of enterprise services to the recipient of the scheduling time.

73. (Previously Presented) The computer readable storage medium recited above in claim 70, wherein scheduling the enterprise event further comprises:

establishing a scheduling time for performance of the enterprise service; and
notifying the service person responsible for performance of the enterprise service of the scheduling time.

74. (Previously Presented) The computer readable storage medium recited above in claim 71, wherein scheduling the enterprise event further comprises:

establishing a scheduling time for performance of the enterprise service; and
notifying the enterprise service person responsible for performance of the enterprise service and the enterprise department responsible for administering the performance of enterprise services to the recipient of the scheduling time.

75. (Previously Presented) The computer readable storage medium recited above in claim 74, wherein notifying further comprises:

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

updating an enterprise web page with the scheduling time for performance of the enterprise service.

76. (Previously Presented) The computer readable storage medium recited above in claim 75, wherein notifying further comprises:

accessing notification information for enterprise service person from the enterprise data;
selecting a transmission medium based on notification criteria in the notification information;
and

transmitting a message using the transmission medium based on the notification information.

77. (Previously Presented) The computer readable storage medium recited above in claim 76, wherein the transmission medium is a telephone, the notification information includes a telephone number, and the message is an oral notification.

78. (Previously Presented) The computer readable storage medium recited above in claim 76, wherein the transmission medium is a pager, the notification information includes a pager telephone number, and the message is a text notification.

79. (Previously Presented) The computer readable storage medium recited above in claim 75, wherein scheduling the enterprise event further comprises:

receiving an acknowledgment from the enterprise service person that the scheduling time for performance of the enterprise service has been received by the enterprise service person.

80. (Previously Presented) The computer readable storage medium recited above in claim 79, wherein scheduling the enterprise event further comprises:

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

notifying the enterprise department responsible for administering the performance of enterprise services to the recipient that the enterprise service person responsible for administering acknowledges the scheduling time for performance of the enterprise service.

81. (Previously Presented) The computer readable storage medium recited above in claim 61, wherein the enterprise event is an enterprise function, scheduling the enterprise event further comprises:

identifying an enterprise user responsible for executing the enterprise function from the enterprise information.

82. (Previously Presented) The computer readable storage medium recited above in claim 81, wherein scheduling the enterprise event further comprises:

retrieving enterprise relationship rules based on the identity of the enterprise user;
identifying at least one user with a privilege to the enterprise function; and
granting the enterprise user access to the enterprise function based on the enterprise user being identified as a user with the privilege to the enterprise function.

83. (Previously Presented) The computer readable storage medium recited above in claim 82 wherein scheduling the enterprise event further comprises:

updating an enterprise web page with at least a portion of the enterprise information with a tool to perform the enterprise function.

84. (Previously Presented) The computer readable storage medium recited above in claim 83 wherein at least a portion of the enterprise information is a document and the tool to perform the enterprise function is an electronic signature tool.

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

85. (Previously Presented) The computer readable storage medium recited above in claim 84 wherein the tool to perform the enterprise function further includes a document editing feature.

86. (Previously Presented) The computer readable storage medium recited above in claim 85 wherein the editing feature of the tool to perform the enterprise function requires a separate privilege.

87. (Previously Presented) The computer readable storage medium recited above in claim 82 wherein the enterprise user is one of a physician, an intern and a resident and the enterprise is a health care facility.

88. (Previously Presented) The computer readable storage medium recited above in claim 84 wherein scheduling the enterprise event further comprises:

receiving an acknowledgment from the enterprise user that a document has been electronically signed by the enterprise user.

89. (Previously Presented) The computer readable storage medium recited above in claim 85 wherein scheduling the enterprise event further comprises:

receiving an acknowledgment from the enterprise user that a document has been electronically edited and electronically signed by the enterprise user.

90. (Previously Presented) The computer readable storage medium recited above in claim 84 wherein scheduling the enterprise event further comprises:

faxing a copy of the signed document to a destination based on the enterprise data.

91. (Currently Amended) A health care information service layer positioned over at least one vendor specific application, comprising:

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

a message conversion rules memory for storing vendor specific rules used for converting vendor specific message format to health care level format;

an health care level automated interface gateway (AIG) catcher, said AIG catcher comprising a logical port for receiving vendor specific messages, a logical communications port for communicating, a logical memory connection for operationally connecting to the message conversion rules memory and executable logic for opening a vendor specific message generated by a vendor specific application running on a remote system, extracting information contained in a vendor specific message, identifying a remote system based on information in a vendor specific message, communicating with said message conversion rules memory via said logical memory connection and for retrieving vendor specific rules based on an identity of a remote system, converting information contained in a vendor specific message from vendor specific message format using vendor specific rules to health care level information in a health care level message defined by health care level-specific messaging rules, and communicating converted health care level information via said logical communications port;

an health care level memory for storing health care level relationship rules and for storing health care level information;

an health care level server, said health care level server comprising a logical port for receiving health care ~~system~~ level messages, a logical memory connection for operationally connecting to the health care level memory and executable logic for opening a health care level message, extracting health care level information contained in a health care level message, communicating with said health care level memory via said logical memory connection and for retrieving health care level relationship rules, checking health care level information for a

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

relationship with other health care level data based on the health care level relationship rules, scheduling health care level events based on a relationship between health care level information from a health care level message and health care level information from said health care level memory and communicating health care level messages via said logical communications port; and

a web server operationally connected to said enterprise server, said web server containing executable logic for receiving health care level messages, converting health care level messages to information packets of a mark up language and communicating information packets to a remote web client.

92. (Original) The health care information service layer recited above in claim 91 wherein said health care level memory further comprises:

a health care level privilege database containing privilege rules for accessing health care level information.

93. (Original) The health care information service layer recited above in claim 91 wherein said health care level memory further comprises:

a vendor database access database containing rules for accessing a remote system's vendor database.

94. (Original) The health care information service layer recited above in claim 91 wherein said health care level memory further comprises:

a health care level function containing an electronic signature tool.

95. (Original) The health care information service layer recited above in claim 91 wherein said health care level memory further comprises:

a health care level function containing an automatic faxing tool.

Appl. No. 09/822,013
Reply to Examiner's Action dated 01/03/2006

96. (Previously Presented) The health care information service layer recited above in claim 91 wherein said health care level memory further comprises:

a health care level function containing an notification tool for notifying health care level users of the occurrence of a health care level event.

97. (Previously Presented) The health care information service layer recited above in claim 91 wherein said AIG is physically configured on the health care lever server.

98. (Previously Presented) The health care information service layer recited above in claim 91 wherein said message conversion rules memory and said health care level memory are physically configured on at a signal physical location.

99. (Previously Presented) The health care information service layer recited above in claim 91 wherein said message conversion rules memory and said health care level memory are physically configured together on a database server.

100. (Previously Presented) The health care information service layer recited above in claim 91 wherein said messages received by said AIG originate at one of an admissions vendor application, a radiology vendor application, a medical records/transcriptions vendor application, a pharmacy vendor application and laboratory vendor application.

101. (Previously Presented) The health care information service layer recited above in claim 91 further comprises:

a telecommunications system, containing executable logic for receiving health care level messages and executing telecommunications services based on the contents off the messages.